# China Social Login

## For Magento2

## User Guide / *SunflowerBiz*

# Table of Contents

**SUNFLOWERBIZ**

# Installation:

From your base Magento2 directory -> app -> code (you may have to create this directory), create Sunflowerbiz directory to your app/code directory.

From the base Magento2 directory:

-Upload the contents of 'Base' and 'ChinaSocialLogin' folders to 'app/code/Sunflowerbiz' directory of your Magento installation.

-Enable the module running the following commands on the root of your Magento installation:

bin/magento module:enable --clear-static-content Sunflowerbiz_ChinaSocialLogin
bin/magento setup:upgrade

--------------------
The following commands should work even in windows with the forward slash swapped for back.

php bin/magento cache:clean
php bin/magento setup:upgrade
php bin/magento setup:di:compile
php bin/magento setup:static-content:deploy



SUNFLOWERBIZ

Email:info@sunflowerbiz.com
Web: www.sunflowerbiz.com

# Module Setting：

**Configure the module on Admin->Stores->Configuration-> SUNFLOWERBIZ MODULES->China Social Login.**

## China Social Login

Click here to view more about author

| | |
|---|---|
| Enabled [store view] | Yes ▼ |
| Wechat APP ID [store view] | xxx |
| Wechat APP SECRECT [store view] | xxxxx |
| Offical Account Login [website] | No ▼ |
| Offical Account APP ID [store view] | |
| Offical Account APP SECRET [store view] | |
| QQ APP ID [store view] | |
| QQ APP KEY [store view] | |

# Front I

**The 4 icons of the social networks will display on the Customer Login page and the Checkout page. If you don't want to display one of the icons, leave the configuration field empty.**

## Display on the Customer Login:

# Front II

## Display on the Checkout Page:

# WeChat Login

1. Access to WeChat Login on **WeChat Open Platform**

A) SignUp/Login on **WeChat Open Platform**

B) Request **Website Application Development**

C) Click "**Create an application**" to request

D) Joining process:

- Create website application
  Developers can create website applications by entering the website name, description, icons and official website address, etc.

- Submit for audit
  When a website creation application is submitted by a developer, WeChat Team will audit the information to guarantee the website quality.

- Pass audit and launch
  After auditing is passed, developers will receive an AppID, by which features such as WeChat Login can be developed

- Configure Authorization Redirect Domain
  Please configure your "authorization redirect domain" in wechat login app management page on  https://open.weixin.qq.com/  Don't add https or http.

E) Check the **AppID/Secret**

    After WeChat approves your application, click **Web Application** under **Management Center**.

F) Click **View** to get the **AppID** and **AppSecret**.



G) Enter **AppID** as **WeChat APP ID,** and **App Secret** as  **WeChat APP SECRET.**

**2**. Access to WeChat Login on **WeChat Official  Accounts Platform**

A) Make sure your official account is **Server Account** and **has authorized.**

B) Log into  **WeChat Official  Accounts Platform,** scroll down to **Development** and click **Basic Configuration.**



   C) Enter **Developer ID** as **Official Account APP ID**, and **Developer Password** as **Official Account APP Secret**.

D) Set w**ebpage authorization domain name**

DI) Click **Function setting** under **Setting of official account**.

1. Click **Set** button



网页授权域名 ✕

用户在网页授权页同意授权给公众号后，微信会将授权数据传给一个回调页面，回调页面需在此域名下，以确保安全可靠。

下载文件 将以下文件上传至填写域名或路径指向的web服务器（或虚拟主机）的目录（若填写域名，将文件放置在域名根目录下，例如wx.qq.com/MP_verify_0v6PiSDf88YHmN2W.txt；若填写路径，将文件放置在路径目录下，例如wx.qq.com/mp/MP_verify_0v6PiSDf88YHmN2W.txt），并确保可以访问。

↓ MP_verify_0v6PiSDf88YHmN2W.txt

域名1

域名2 域名要求ICP备案，不支持IP地址、端口号及短链域名

保存 取消

DIII) **Download the txt file** and upload to your **Magento site root**.

1. It require a **filing domain** and doesn't support IP address, port number or short-chain domain name.

## 5. Bind WeChat Official Account

Go to [WeChat Open Platform](#), and click **Bind Official Account** under **Official Accounts.**



**1.** Configure **Default Customer** Info.



- Configure **Default Customer FirstName/LastName/Password** to auto create Magento accounts.

# QQ Login (I)

**2. Login QQ Open Platform: [https://connect.qq.com/](https://connect.qq.com/) using QQ account (QQ account num can't be changed. Company public QQ is preferred)**
**3. Register an application developer.**

开发者信息 ✕

您还没有注册应用开发者资料，注册后才能创建应用

开发者类型：◉ 公司 ⚪ 个人

公司全称：
公司地址： 便于资料邮递
联系人： 请填入公司负责与腾讯沟通的负责人
电子信箱： 请填写联系人的邮箱
QQ：
手机号码： 请填写联系人的手机号码

仅限中国境内手机号码，无需加0或+86

服务协议：☐ 我同意接受 腾讯开放平台开发者协议

注册

# QQ Login (II)

**4. Create a website application（网站应用） to get the appid and appkey on the management center (管理中心)**



**Callback URL:**
**[Your Site Domain]/chinasociallogin/process/sociallogin?connect=qq**

**5. Complete website info**
**6. Submit for audit**
**7. Pass audit and launch**

# Sina Weibo Login

1. **Login [https://open.weibo.com/index.php](https://open.weibo.com/index.php) using your Weibo account and complete your developer info.**
2. **Create a Weibo connect on [https://open.weibo.com/development](https://open.weibo.com/development)**
3. **Create a Website Access Application on [https://open.weibo.com/webmaster/add](https://open.weibo.com/webmaster/add)**
4. **Submit for audit**
5. **Pass audit and launch**

技术实现 如何让你的网站支持微博登录

完善用户信息
1. 用微博账号登录微博平台　注册微博>>
2. 完善平台用户信息　立即完善>>

提交您的网站
1. 提交您的网站　立即提交>>
2. 验证网站所有权　查看"我的网站"

在您的网站开发功能并上线
1. 通过验证的网站即获得appkey　在"我的网站"里查看appkey信息>>
2. 使用appkey在您的网站进行微博登录开发　查看"快速开发文档">>
注：此时您可以使用appkey进行开发测试，但仅支持15个测试账号正常使用

网站审核
1. 您完成了开发并上线后方可提交审核　查看"我的网站">>
2. 通过审核后，您的网站不再受测试账号数目限制，并在微博里正常显示来源信息

# Taobao Login

- **Login Taobao Open Platform: https://open.taobao.com/**
- **Register an application developer on**
- **https://my.open.taobao.com/common/applyIsv.htm**
- **and complete the developer info.**
- **Create a website application**
- **Submit for audit**
- **Pass audit and launch**

# Alipay Login

1. Log into **Alipay's Open Platform**.
2. Create an application. View **instructions**.
3. Add the abilities. View **instructions.**



4. Enter the callback URL: **http(s)://[YourSiteDomain]**